

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6857067".pn. and (quality with hash)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:14
L2	1	"6857067".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:15
S1	7643	(DELIMA ROBERTO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:11
S2	0	(DELIMA adj ROBERTO).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:12
S3	13	(HUYNH adj LAP "T.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:12
S4	13	(HUYNH adj LAP).inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:13
S5	0	(JOSEPH adj DINAKARAN "B.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:14
S6	0	(MAJIKES adj JOHN "J.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:15
S7	799	(MOORE adj ROBERT "E.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:22
S8	228281	(RAFALOW, LEE "M.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:22
S9	10	(RAFALOW adj LEE "M.").inv.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:23
S10	9123	((709/201) or (709/203) or (709/200) or (709/238) or (709/217) or (709/246) or (710/20) or (710/52) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:17
S11	0	("hash\$3near5(functionorvalueorta bleordataorinformation)").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/25 12:27
S12	8982	hash\$3 near5 (function or value or table or data or information)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:27

S13	3129	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:30
S14	2883	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (first same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:31
S15	2918	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ((first or initial) same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:32
S16	2854	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ((first or initial) same (value or data or information or table)) and ((second or another or new) same (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:33
S17	2581	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and ((first or initial) with (value or data or information or table)) and ((second or another or new) with (value or data or information or table))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:34
S18	2075	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:35

S19	703	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:39
S20	49	hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:41
S21	48	(hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:43

S22	27	(hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:44
S23	24	(hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:45
S24	24	(hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retriv\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:46

S25	3	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and S10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:47
S26	0	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and cookie	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:50
S27	24	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51

S28	3	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and (hypertext)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51
S29	0	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and (hypertext)and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:51
S30	13	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:02

S31	3	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server and S10	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/25 12:53
S32	13	((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:04
S33	3	(((hash\$3 near5 (function or value or table or data or information) and ((receiv\$3 or obtain\$3 or get\$4 or send\$3 or retri\$3 or creat\$3) with request\$3) and (((first or initial) with (value or data or information or table)) same((second or another or new) with (value or data or information or table)) same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) and (qos or (quality near6 service)))) and (config\$7 or polic\$3 or classif\$7 or rul\$3) and "bus" and memory and (processing with unit) and (code or instruction or program)) and server) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/27 12:07

S35	9123	((709/201) or (709/203) or (709/200) or (709/238) or (709/217) or (709/246) or (710/20) or (710/52) or (370/230) or (370/235)).CCLS.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:18
S36	0	("receiv\$3near5request\$3").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:18
S37	99695	receiv\$3 near5 request\$3	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:19
S38	54	(receiv\$3 near5 request\$3)and (respon\$5 with (first or initial or one)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:21
S39	11	(receiv\$3 near5 request\$3) same (respon\$5 with (first or initial or one)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:23
S40	1	(receiv\$3 near5 request\$3) same (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) same (respon\$5 with (second or another or new)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:27
S41	13	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new)with hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:28
S42	4	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new)with hash) and header	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:28
S43	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (receiv\$3 near5 request\$3) and (respon\$5 with (second or another or new)with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
S44	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29
S45	0	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:29

S46	1	(receiv\$3 near5 request\$3) and (respon\$5 with (first or initial or one)with hash) and (header and cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:31
S47	0	(receiv\$3 near5 request\$3) and (respon\$5 with hash) and (header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S48	155	(header same cookie)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S49	99743	(header same cookie) (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:32
S50	107	(header same cookie)and (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:39
S51	0	(header same cookie same hash)and (receiv\$3 near5 request\$3)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:33
S52	4	(header same cookie)and (receiv\$3 near5 request\$3 same hash)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:35
S53	0	(header same cookie)and (receiv\$3 near5 request\$3 same hash) and ((quality adj of adj service) or qos)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:34
S54	21	(header same cookie)and (receiv\$3 near5 request\$3) and hash	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:53
S56	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and hypertext) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:43
S57	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and (hypertext or http)) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/28 17:34
S58	3	(header same cookie)and (receiv\$3 near5 request\$3) and hash and ((quality with service) or qos)	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/27 12:53
S59	2	((header same cookie)and (receiv\$3 near5 request\$3) and hash and (hypertext or http)) and @pd<"20010712"	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/28 17:34
S60	13	(header same cookie)and (receiv\$3 near5 request\$3) and hash and hypertext	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/31 11:30

S61	932154	(first or initial) with (value or data or information or table)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:15
S62	1687	(first or initial) with hash with (value or data or information or table)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:15
S63	742	((first or initial) with hash with (value or data or information or table))same (compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:17
S64	215	((first or initial) with hash with (value or data or information or table))same ((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:17
S65	191	((first or initial) with hash with (value or data or information or table))same ((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:18
S66	162	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:18
S67	162	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:18
S68	10	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:20
S69	9	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:21

S70	9	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:27
S71	0	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second and config)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:27
S72	9	((first or initial) with hash with (value or data or information or table))with((compar\$3 or match\$3 or correspond\$3 or equal\$3 or parallel\$3) with (second or another)with hash))with (policy or config\$7) and (compar\$3 and hash and first and second and (configur\$5 or policy))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/02 20:27
S73	0	("ibm.asn.").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/19 10:53
S74	0	("(internationalbusinessmachine).asn.").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/19 10:53
S75	208038	(international business machine).asn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/19 10:53
S76	1	(international business machine).asn. and ((hash\$3 near3 value) same (quality near5 service))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 10:55
S77	4	((hash\$3 near3 value) same (quality near5 service))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 13:20
S78	1	((hash\$3 near3 value) same (quality near5 service)same compar\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 10:58
S79	1	((hash\$3 near3 value) same (quality near5 service)same (compar\$3 or match\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 11:07

S80	1	((hash\$3 near3 value) same (quality near5 service)same (compar\$3 or match\$3 or refer\$5 or relat\$3 or equal\$3 or parallel\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 11:07
S81	4224	(hash\$3 near3 value)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 13:26
S82	2	"6421730".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 13:29
S83	2	"6925085".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 13:30
S84	2	"6389419".pn.	USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/19 13:30
S85	7	("5764645" "6078953").PN. OR ("6421730").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:30
S86	15	("5473607" "5768526" "5949786" "5953335" "5958057" "6018526" "6034958" "6256306" "6567408" "6570884" "6597661" "6633860" "6665725" "6674769" "6735670").PN. OR ("6925085").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:31
S87	7	("5247520" "5359720" "5633858" "5757795" "5790669" "6061734" "6201755").PN. OR ("6389419").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:32
S88	0	S85 and S86 and S87	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:32
S89	29	S85 or S86 or S87	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:33
S90	14	S89 and (hash\$3 same (request\$3 or response))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:35
S91	1	S89 and (hash\$3 same (request\$3 or response))and cookie	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:34
S92	1	S89 and (hash\$3 and(request\$3 or response))and cookie	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:34

S93	1	S89 and cookie	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:34
S94	7	S89 and ((quality with service))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/19 13:36
S95	2	S89 and ((quality with service)) and ((polic\$3 or rule)same config\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:58
S96	0	S89 and ((quality with service)) and ((polic\$3 or rule)same config\$5) and hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:58
S97	491	((quality with service)) and ((polic\$3 or rule)same config\$5) and hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:58
S98	29	((quality with service)) same((polic\$3 or rule)same config\$5) and hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:59
S99	0	((quality with service)) same((polic\$3 or rule)same config\$5)same hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:59
S10 0	29	((quality with service)) same((polic\$3 or rule)same config\$5)and hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:59
S10 1	11	((quality with service)) same((polic\$3 or rule)same config\$5)and (hash\$3 same request\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 13:59
S10 2	0	((quality with service)) same((polic\$3 or rule)same config\$5)and (hash\$3 same request\$3 same (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:00
S10 3	11	((quality with service)) same((polic\$3 or rule)same config\$5)and (hash\$3 same request\$3 and(compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:03
S10 4	1	((quality with service)) same((polic\$3 or rule)same config\$5)and (hash\$3 same request\$3 and((compar\$3 or match\$3)same hash\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:00
S10 5	4	((quality with service)) same((polic\$3 or rule)same config\$5)and (hash\$3 same (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:05

S10 6	215	((quality with service)) and((polic\$3 or rule)same config\$5)and (hash\$3 same (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:05
S10 7	215	(quality with service) and((polic\$3 or rule)same config\$5)and (hash\$3 same (compar\$3 or match\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:06
S10 8	21	(quality with service) and((polic\$3 or rule)same config\$5)and (hash\$3 same (compar\$3 or match\$3)) and (first with hash\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:16
S10 9	4	(quality with service) and((polic\$3 or rule)same config\$5)and (hash\$3 same (compar\$3 or match\$3)) and (first with hash\$3)same ((second or another)same hash\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:06
S11 0	4	(quality with service) and((polic\$3 or rule)same config\$5)and (hash\$3 same (compar\$3 or match\$3)) and ((first with hash\$3)same (second or another)same hash\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:07
S11 1	1	"6788,647".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 14:16
S11 2	1	"6788,647".pn. and (quality with hash)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:14